

M / V ARIFE



IMO Fitted	: YES-as per app.
Grain fitted	: YES-as per app.
Dead-weight (DWAT) summer / winter	: 4900 mt
Capacity (grain)	: 6836 cbm/241.411 cft
Capacity (bale)	: 6836 cbm/241.411 cft
No of hold(s)/hatch(es)	: 1 hold / 1 hatch
Type of hatchcovers(s)	: Kvaerner Folding Type (8 segments 4/4)
Size of hatch covers	: 57.85 m x 13.40 m (775.19 sqm)
Size of holds	: 57.85 m x 13.40 m x 8.92, boxshaped
Narrowing fore	: YES
Narrowing aft	: YES

Date/Place of building	: 2002, Xingang Shipyard, Tianjin, China
IMO No	: 9266322
Flag	: Panama
Type of vessel	: MPP, tweendecker,geared,box,cntr fitted
Classification	: NK
Lenght over all	: 100.60
Lenght between perpend.	: 94.15
Breadth	: 16,6 / 8,1
Height above keel	: 37,95 m
Draught (summer/winter)	: 6,40 summer / 6,279 Winter
Draught (tropical/freshwater)	: 6,545 tropical / 6,542 freshwater
Air draft	: 31,6 m
GT/NT International	: 4090 / 2016
GT/NT SUEZ	: GT 11981,2 cbm / NT 9167 cbm
GT/NT PANAMA	: GT 14430,6 cbm / NT 3496 MT
BOWTHRUSTER	: Fitted
Ballast capacity	: 1,801.00 cbm
FW Capacity	: 84.90 cbm

CRANES , SWL	: 2 x 80 mts NMF
Crane positions	: Portside no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Fittings	: necessary loose lashings/fittings
Nominal/Empty Container capacity	: 390 TEU OR 78 FEU + 18 TEU
Reefers	: 30
Ventilation	: YES
Tweendeck positions	: adjustable tweendeck
Tanktop to tweendeck	: 2,97m / 4,07m / 5,51m
Tweendeck to hatch	: 5,39m / 4,29m / 2,85m

All above given in good faith but without any guarantee

M / V CANKA



IMO Fitted	: YES-as per app.
Grain fitted	: NO
Dead-weight (DWAT) summer / winter	: 3261.84/3123.87
Capacity (grain)	: N/A
Capacity (bale)	: 3990 cbm
No of hold(s)/hatch(es)	: 1 BOX
Type of hatchcovers(s)	: McGregor Hydraulic Type
Size of hatch covers	: 4PCS FORE+6PCS AFT
Size of holds	: 61.06 X 12.80 X 5.88
Narrowing fore	: yes
Narrowing aft	: no

Date/Place of building	: 1995,Damen Shipyard Hoogezand,Netherlands
IMO No	: 9103740
Flag	: Panama
Type of vessel	: MPP DRY CARGO
Classification	: INDIAN
Lenght over all	: 90.67
Lenght between perpend.	: 84.986
Breadth	: 15.80/5.80
Height above keel	:
Draught (summer/winter)	: 4.630/4.534
Draught (tropical/freshwater)	: 4.726/4.723
Air draft	: 28
GT/NT International	: 2658/1216
GT/NT SUEZ	: N/A
GT/NT PANAMA	: N/A
BOWTHRUSTER	: Fitted
Ballast capacity	: 1,947.469 cbm
FW Capacity	: 57MT + (TECH.TANK 5MT)

CRANES , SWL	: N/A
Crane positions	: N/A
Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Container capacity	: 266 TEU OR 121 FEU + 24 TEU
Reefers	: 22
Ventilation	: YES
Tweendeck positions	: N/A
Tanktop to tweendeck	: N/A
Tweendeck to hatch	: N/A

All above given in good faith but without any guarantee

M / V EFES



Date/Place of building	: 1999, Zhonghua Shipyard, China
IMO No	: 9197686
Flag	: Panama
Type of vessel	: MPP, tweendecker,geared,box,cntr fitted
Classification	: INDIAN
Lenght over all	: 100.60
Lenght between perpend.	: 94.15
Breadth	: 16,6 / 8,1
Height above keel	: 37,95 m
Draught (summer/winter)	: 6.40 summer / 6.264 Winter
Draught (tropical/freshwater)	: 6.53 tropical / 6.527 freashwater
Air draft	: 31,6 m
GT/NT International	: 4086 / 2016
GT/NT SUEZ	: GT 4166,98 / NT 3147,61
GT/NT PANAMA	: NET 3701
BOWTHRUSTER	: Fitted
Ballast capacity	: 1.784,10 cbm
FW Capacity	: 84.90 cbm

IMO Fitted	: YES-as per app.
Grain fitted	: YES-as per app.
Dead-weight (DWAT) summer / winter	: 4900 mt
Capacity (grain)	: 6836 cbm/241.411 cft
Capacity (bale)	: 6836 cbm/241.411 cft
No of hold(s)/hatch(es)	: 1 hold / 1 hatch
Type of hatchcovers(s)	: Kvaerner Folding Type (8 segments 4/4)
Size of hatch covers	: 57.85 m x 13.40 m (775.19 sqm)
Size of holds	: 57.85 m x 13.40 m x 8.93, boxshaped
Narrowing fore	: YES
Narrowing aft	: YES

CRANES , SWL	: 2 x 60 mts NMF high speed
Crane positions	: Portside
Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Container capacity	: 377 TEU OR 173 FEU + 28 TEU
Reefers	: 30
Ventilation	: YES
Tweendeck positions	: adjustable tweendeck
Tanktop to tweendeck	: 2,97m / 4,07m / 5,51m
Tweendeck to hatch	: 5,39m / 4,29m / 2,85m

All above given in good faith but without any guarantee

M / V ESER



Date/Place of building	: 1985,assens Shipyard, Emden/Germany
IMO No	: 8415158
Flag	: Panama
Type of vessel	: MPP, tweendecker,geared,box,cntr fitted
Classification	: INSB
Lenght over all	: 99.29 m
Lenght between perpend.	: 94,2 m
Breadth	: 14
Height above keel	: 30,10
Draught (summer/winter)	: 5,09 / 4,99 m summer/winter
Draught (tropical/freshwater)	: 5,19 / 5,20 m tropical/freshwater
Air draft	: 25 m
GT/NT International	: 3062 / 1413
GT/NT SUEZ	: 3039.74
GT/NT PANAMA	: N/A
BOWTHRUSTER	: Fitted
Ballast capacity	: 1,837,825 mt
FW Capacity	: 52.249 m3

IMO Fitted	: NO
Grain fitted	: YES-as per app.
Dead-weight (DWAT) summer / winter	: 3828mt/3715mt
Capacity (grain)	: 5423 m ³ resp. 194.076 cbft.
Capacity (bale)	: 5380 m ³ resp. 191.073 cbft.
No of hold(s)/hatch(es)	: 1 hold, 1 tweendeck and 1 hatch
Type of hatchcovers(s)	: Kvaerner Folding Type (remote controlled)
Size of hatch covers	: 62.29 m * 11,12 m
Size of holds	: 62.29 m * 11,12 m * 7,90 m (w/o td)
Narrowing fore	: 6m
Narrowing aft	: NO

CRANES , SWL	: 2 x 20 mts (25 t at 16,5 m & 18 t at 19 m)
Crane positions	: Portside
Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Container capacity	: 198 TEU OR 91 FEU
Reefers	: 9x electric point on deck aft side
Ventilation	: 2x electrical ventilation
Tweendeck positions	: can be set in 2 diff.height
Tanktop to tweendeck	: 3,70 m lower hold
Tweendeck to hatch	: 3,70 m

All above given in good faith but without any guarantee

M / V ONAT



Date/Place of building	: 06/1991, China
IMO No	: 8812904
Flag	: Panama
Type of vessel	: MPP, tweendecker,geared, fully box,cntr fitted
Classification	: INDIAN
Lenght over all	: 91
Lenght between perpend.	: 84
Breadth	: 14,7
Height above keel	: 32
Draught (summer/winter)	: 5,0 / 4,86 m summer/winter
Draught (tropical/freshwater)	: Trop:68 cm ust/fwa 108 mm
Air draft	: 32
GT/NT International	: 2874 t / 1057 t
GT/NT SUEZ	: N/A
GT/NT PANAMA	: N/A
BOWTHRUSTER	: NO
Ballast capacity	: abt 1416,606 cbm
FW Capacity	: abt 68 cbm

IMO Fitted	: YES (On Deck) as per app.
Grain fitted	: YES (Solid Bulk Cgo A-C)as per app.
Dead-weight (DWAT) summer / winter	: 3181/3022
Capacity (grain)	: 4755 cbm
Capacity (bale)	:
No of hold(s)/hatch(es)	: 1 hold / 1 hatch
Type of hatchcovers(s)	: McGregor Folding Type
Size of hatch covers	: 11,1 * 3,36 (16 pcs)
Size of holds	: 10,37 * 53,21 *
Narrowing fore	: NO
Narrowing aft	: NO

CRANES , SWL	: 2 x 25 mts liebherr
Crane positions	: Portside
Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Container capacity	: 204 TEU OR 92 FEU
Reefers	: 20
Ventilation	: yes
Tweendeck positions	:
Tanktop to tweendeck	: 3,25 m
Tweendeck to hatch	: 4,54 m

All above given in good faith but without any guarantee

M / V TEAM SPIRIT



Date/Place of building	: 1997, Poland
IMO No	: 9137753
Flag	: Panama
Type of vessel	: MPP, tweendecker,geared,box,cntr fitted
Classification	: NK
Lenght over all	: 100,6
Lenght between perpend.	: 93,95
Breadth	: 16,6 / 8,1
Height above keel	: 37,95 m
Draught (summer/winter)	: 6,40 summer / 6,264 Winter
Draught (tropical/freshwater)	: 6,53 tropical / 6,527 freshwater
Air draft	: 31,6 m
GT/NT International	: 4078 / 2009
GT/NT SUEZ	: GT 4166,98 / NT 3147,61
GT/NT PANAMA	: NET 3701
BOWTHRUSTER	: Fitted
Ballast capacity	: 1,846,00 mts
FW Capacity	: 83 mt

IMO Fitted	: YES-as per app.
Grain fitted	: YES-as per app.
Dead-weight (DWAT) summer / winter	: 4820
Capacity (grain)	: 6790 cbm / 240.000 cft
Capacity (bale)	: 6790 cbm / 240.000 cft
No of hold(s)/hatch(es)	: 1 hold / 1 hatch
Type of hatchcovers(s)	: McGregor Folding Type (4 fwd+4 aft)
Size of hatch covers	: 57,80 m x 13,40 m
Size of holds	: 57,85 m x 13,40 m x 8,93, boxshaped
Narrowing fore	: YES
Narrowing aft	: YES

CRANES , SWL	: 2 x 60 mts
Crane positions	: Portside
Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Container capacity	: 356 TEU OR 56 FEU + 112 TEU
Reefers	: 30
Ventilation	: YES
Tweendeck positions	: adjustable tweendeck
Tanktop to tweendeck	: 2,97m / 4,07m / 5,51m
Tweendeck to hatch	: 5,39m / 4,29m / 2,85m

All above given in good faith but without any guarantee

M / V TEOS



Date/Place of building	: 1999, Xingang, China
IMO No	: 9173331
Flag	: Panama
Type of vessel	: MPP, tweendecker,geared,box,cntr fitted
Classification	: INDIAN
Lenght over all	: 100.60
Lenght between perpend.	: 93.80
Breadth	: 16,6 / 8,1
Height above keel	: 37,95 m
Draught (summer/winter)	: 6.40 summer / 6,26 Winter
Draught (tropical/freshwater)	: 6,53 tropical / 6,527 freashwater
Air draft	: 31,6 m
GT/NT International	: 4086 / 2016
GT/NT SUEZ	: GT 4226,2 / NT 3235,8
GT/NT PANAMA	: GT 14430 cbm / NT 3492 MT
BOWTHRUSTER	: Fitted
Ballast capacity	: 1784,09 cbm
FW Capacity	: 84, cbm

IMO Fitted	: YES-as per app.
Grain fitted	: YES-as per app.
Dead-weight (DWAT) summer / winter	: 4806 mt / 4615.20 mt
Capacity (grain)	: 6836 cbm/241.418 cft
Capacity (bale)	: 6836 cbm/241.418 cft
No of hold(s)/hatch(es)	: 1 hold / 1 hatch
Type of hatchcovers(s)	: Kvaerner Folding Type (8 segments 4/4)
Size of hatch covers	: 57.80 m x 13.40 m (774.52 sqm)
Size of holds	: 57.85 m x 13.40 m x 8.93, boxshaped
Narrowing fore	: YES
Narrowing aft	: YES

CRANES , SWL	: 2 x 60 mts
Crane positions	: Portside
Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Container capacity	: 390 TEU OR 78 FEU + 28 TEU
Reefers	: 30
Ventilation	: YES
Tweendeck positions	: adjustable tweendeck
Tanktop to tweendeck	: 2,97m / 4,07m / 5,51m
Tweendeck to hatch	: 5,39m / 4,29m / 2,85m

All above given in good faith but without any guarantee